

Indiana University – Purdue University Fort Wayne  
**Opus: Research & Creativity at IPFW**

---

Computer and Electrical Engineering Technology &  
Information Systems and Technology Senior Design  
Projects

School of Engineering, Technology and Computer  
Science Design Projects

---

4-19-1980

## An Electronic Shower Control

Dave Durante

*Indiana University - Purdue University Fort Wayne*

Follow this and additional works at: [http://opus.ipfw.edu/etcs\\_seniorproj](http://opus.ipfw.edu/etcs_seniorproj)



Part of the [Computer Sciences Commons](#), and the [Engineering Commons](#)

---

### Opus Citation

Dave Durante (1980). An Electronic Shower Control.  
[http://opus.ipfw.edu/etcs\\_seniorproj/298](http://opus.ipfw.edu/etcs_seniorproj/298)

This Senior Design Project is brought to you for free and open access by the School of Engineering, Technology and Computer Science Design Projects at Opus: Research & Creativity at IPFW. It has been accepted for inclusion in Computer and Electrical Engineering Technology & Information Systems and Technology Senior Design Projects by an authorized administrator of Opus: Research & Creativity at IPFW. For more information, please contact [admin@lib.ipfw.edu](mailto:admin@lib.ipfw.edu).

# SENIOR DESIGN

## TECHNICAL REPORT

for

AN ELECTRONIC SHOWER CONTROL

---

title

in partial fulfillment of the requirements

for the degree of

## BACHELOR OF SCIENCE



presented to the

ELECTRICAL ENGINEERING TECHNOLOGY FACULTY

INDIANA UNIVERSITY-PURDUE UNIVERSITY AT FORT WAYNE

April 19, 1980

date

by

Dave Durante

GRADE: \_

APPROVED: \_

## TABLE OF CONTENTS

ACKNOWLEDGEMENTS . . . . .	i
ABSTRACT . . . . .	ii
I. PROJECT DESCRIPTION . . . . .	1
II. SYSTEM DEVELOPMENT	
A.) MOTORIZED VALVES . . . . .	2
B.) VALVE DRIVING CIRCUITRY . . . . .	4
C.) VARIABLE D.C. REFERENCE VOLTAGE . . . . .	5
D.) ERROR DETECTION . . . . .	6
E.) POWER SUPPLIES . . . . .	8
III. DESIGN PROCEDURE	
A.) THE VALVE DRIVING NETWORK . . . . .	9
B.) VARIABLE REFERENCE VOLTAGE . . . . .	10
C.) ERROR DETECTION AND DRIVING LOGIC . . . . .	12
D.) POWER SUPPLIES . . . . .	14
IV. SYSTEM EVALUATION . . . . .	16
V. CONCLUSIONS . . . . .	17
PARTS LIST . . . . .	18
BIBLIOGRAPHY . . . . .	22

LIST OF FIGURES

FIG. 1	BLOCK DIAGRAM OF PROJECT . . . . .	2a
FIG. 2	BLOCK DIAGRAM OF VALVE DRIVERS . . . . .	4a
FIG. 3	BLOCK DIAGRAM OF REFERENCE VOLTAGE CIRCUIT . . . . .	6a
FIG. 4	BLOCK DIAGRAM OF ERROR DETECTOR (TEMPERATURE) . . . . .	7a
FIG. 5	BLOCK DIAGRAM OF ERROR DETECTOR (FLOW) . . . . .	8a
FIG. 6	SCHEMATIC OF VALVE DRIVERS . . . . .	9a
FIG. 7	SCHEMATIC OF REFERENCE VOLTAGE CIRCUIT . . . . .	10a
FIG. 8	SCHEMATIC OF ERROR DETECTOR (TEMPERATURE) . . . . .	13a
FIG. 9	SCHEMATIC OF ERROR DETECTOR (FLOW) . . . . .	14a
FIG. 10	SCHEMATIC OF POWER SUPPLIES . . . . .	15a

ABSTRACT

AN ELECTRONIC SHOWER CONTROL

BY: DAVID DURANTE

The Electronic Shower Control is a device that replaces manually operated valves in a conventional shower with a set of five pushbuttons. In addition to making any adjustment in either temperature or flow, this device can also maintain an operator-selected temperature within  $\pm 3^{\circ}$  F.

The device is constructed with both digital and analog circuitry, including two feedback control loops. One loop is used to maintain temperature and the other loop is used to adjust flow.